

Certificate of Analysis

ANALYZED BY:

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC

DISTRIBUTOR:

Open Book Extracts 317 Lucy Garrett Road Roxboro 27574

MANUFACTURER:

Open Book Extracts 317 Lucy Garrett Road Roxboro, NC 27574

SAMPLE INFORMATION

Sample No.: 1169464

Alchemy Naturals - Sleep Gummy - FSCBD (50 mg/ea) & Passion Flower (20 mg/ea) Pomberry -ITM000846 Product Name:

Matrix: Edible (Gummy) 3ANS216541 Lot #:

TEST SUMMARY

⊘ Tested **Cannabinoid Profile:** Pesticide Residue Screen: Pass **Heavy Metal Screen:**

Microbiological Screen: **Residual Solvent Screen:**

Date Collected: 08/07/2023

Date Received: 08/07/2023 **Date Reported:** 08/09/2023

> Pass Pass

Pass Mycotoxin Screen:

Cannabinoid Profile 08/09/2023

Method: MF-CHEM-15

Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)

Limit of Detection 0.0333 mg/g Limit of Quantification 0.1 mg/g

Cannabinoid	mg/g	%	mg/serving
Δ8-ΤΗC	ND	ND	ND
Δ9-ΤΗС	0.28	0.028	1.55
Δ9-ΤΗCΑ	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	11.68	1.168	64.99
CBDA	ND	ND	ND
CBC	0.23	0.023	1.27
CBCA	ND	ND	ND
CBDV	ND	ND	ND
CBG	0.41	0.041	2.29
CBGA	ND	ND	ND
CBN	1.04	0.104	5.78
Total THC	0.28	0.028	1.55
Total CBD	11.68	1.168	64.99
Total Cannabinoids	13.64	1.364	75.88
Sum of Cannabinoids	13.64	1.364	75.88
Sorving Moight (g)	5 5627		

Serving Weight (g) 5.5627

Total THC = $\Delta 9$ -THC + (0.877 * $\Delta 9$ -THCA) Total CBD = CBD + (0.877 * CBDA)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

This result of this sample is confirmed with a retest.

Microbiological Screen Pass

08/09/2023

Analyte	Method	Findings	Status	
Salmonella	AOAC 2016.01	Negative/25g	Pass	
STEC	3M MDS STEC	Negative/25g	Pass	

Method:

Pesticide Residue Screen Pass

08/09/2023

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1169464 Lot #: 3ANS216541

Page 1 of 3 Report ID: S-3



Certificate of Analysis

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND ND	1.0	Pass
Cypermethrin	0.10/0.30	ND ND	1.0	Pass
Daminozide	0.02/0.06	ND ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND ND	0.02	Pass
Diazinon	0.02/0.06	ND ND	0.02	Pass
Dimethoate	0.02/0.06	ND ND	0.02	Pass
Dimethomorph		ND ND	20.0	
	0.02/0.06			Pass
Ethoprop(hos)	0.02/0.06	ND ND	0.02	Pass
Etofenprox	0.02/0.06	ND ND	0.02	Pass
Etoxazole	0.02/0.06	ND ND	1.5	Pass
Fenhexamid	0.02/0.06	ND ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND NB	0.02	Pass
Fenpyroximate	0.02/0.06	ND NB	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND ND	2.0	Pass
Thiacloprid	0.02/0.06	ND ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND ND	4.5	Pass
arricarondili	0.02/0.00	140		1 033



Residual Solvent Screen OP Pass

Certificate of Analysis

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	1	Pass
Acetone	67/200	ND	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	1	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	1	Pass

Heavy Metal Screen Pass

Method:

MF-CHEM-16



08/09/2023

08/09/2023

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

08/09/2023 **Mycotoxin Screen**

MF-CHEM-13 Method:

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/20	ND	20	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by





Scan to verify

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1169464 Lot #: 3ANS216541

Page 3 of 3 Report ID: S-3