

Hemp Quality Assurance Testing

CERTIFICATE OF ANALYSIS

DATE ISSUED 05/15/2023

SAMPLE NAME: Peanut Butter 600mg

Infused, Solid Edible

CULTIVATOR / MANUFACTURER

Business Name: License Number:

Address:

SAMPLE DETAIL

Batch Number: 23067 Sample ID: 230511N016 **DISTRIBUTOR / TESTED FOR**

Business Name: Penelope's Bloom

License Number:

Address:

Date Collected: 05/11/2023 Date Received: 05/11/2023

Batch Size:

Sample Size: 1.0 units

Unit Mass: 453 grams per Unit Serving Size: 15.1 grams per Serving

NELOPE'S BLOWM PEANUT BUTTER





Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: Not Detected

Total CBD: 860.0658 mg/unit

Total Cannabinoids: 883.7577 mg/unit

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step:

Total THC = Δ^9 -THC + (THCa (0.877)) Total CBD = CBD + (CBDa (0.877))

Sum of Cannabinoids = Δ^9 -THC + THCa + CBD + CBDa + CBG + CBGa + Sum of Cannabinoids: 883.7577 mg/unit THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ^8 -THC + CBL + CBN

Total Cannabinoids = $(\Delta^9$ -THC+0.877*THCa) + (CBD+0.877*CBDa) + (CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) +

(CBDV+0.877*CBDVa) + Δ8-THC + CBL + CBN

TERPENOID ANALYSIS - SUMMARY

39 TESTED, TOP 3 HIGHLIGHTED

Total Terpenoids: ND

SAFETY ANALYSIS - SUMMARY

 Δ^9 -THC per Unit: \bigcirc PASS

 Δ^9 -THC per Serving: **PASS**

Pesticides: PASS

Heavy Metals: PASS

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following $decision\ rules\ are\ applied:\ PASS-Results\ within\ limits/specifications,\ FAIL-Results\ exceed\ limits/specifications.$

Loc verified by: Yasmin Kakkar Job Title: Senior Laboratory Analyst Date: 05/15/2023

Approved by: Josh Wurzer Title: Chief Compliance Officer Date: 05/15/2023

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT)



PEANUT BUTTER 600MG | DATE ISSUED 05/15/2023





Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

†Analytes not part of our ISO/IEC 17025 scope of accreditation.

Method: LA-SOP-101 Cannabinoid Analysis by HPLC-DAD

TOTAL THC: Not Detected Total THC (Δ⁹-THC+0.877*THCa)

TOTAL CBD: 860.0658 mg/unit

Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: 883.7577 mg/unit

$$\label{eq:total_constraint} \begin{split} & Total \ Cannabinoids \ (Total \ THC) + (Total \ CBD) + (Total \ CBG) + (Total \ THCV) + (Total \ CBC) + (Total \ CBDV) + \Delta^8 - THC + CBL + CBN \end{split}$$

TOTAL CBG: 4.3941 mg/unit

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: 7.3386 mg/unit

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: 7.4745 mg/unit

Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 05/12/2023

COMP	OUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
CBD		0.0010 / 0.0029	±0.00778	1.8986	0.18986
CBDV		0.0015 / 0.0046	±0.00011	0.0165	0.00165
СВС		0.0008 / 0.0025	±0.00006	0.0162	0.00162
CBN		0.0005 / 0.0021	±0.00002	0.0099	0.00099
CBG		0.0009/0.0028	±0.00004	0.0097	0.00097
∆9-THC	•	0.0014 / 0.0042	N/A	ND	ND
∆ ⁸ -THC	:	0.0010 / 0.0029	N/A	ND	ND
THCa		0.0004 / 0.0021	N/A	ND	ND
THCV		0.0006 / 0.0021	N/A	ND	ND
THCVa		0.0008 / 0.0023	N/A	ND	ND
CBDa		0.0006 / 0.0021	N/A	ND	ND
CBDVa		0.0005 / 0.0021	N/A	ND	ND
CBGa		0.0007 / 0.0022	N/A	ND	ND
CBL [†]		0.0013 / 0.0045	N/A	ND	ND
CBCa		0.0005 / 0.0021	N/A	ND	ND
SUM	OF CANNA	BINOIDS		1.9509 mg/g	0.19509%

Unit Mass: 453 grams per Unit / Serving Size: 15.1 grams per Serving

Δ^9 -THC per Unit	110 per-package limit	ND	PASS	
Δ^9 -THC per Serving		ND	PASS	
Total THC per Unit		ND		
Total THC per Serving		ND		
CBD per Unit		860.0658 mg/unit		
CBD per Serving		28.6689 mg/serving		
Total CBD per Unit	860.0658 mg/unit			
Total CBD per Serving	28.6689 mg/serving			
Sum of Cannabinoids per Unit		883.7577 mg/unit		
Sum of Cannabinoids per Serving	29.4586 mg/serving			
Total Cannabinoids per Unit		883.7577 mg/unit		
Total Cannabinoids per Serving	29.4587 mg/serving			









Terpenoid Analysis

Terpene analysis utilizing gas chromatographyflame ionization detection (GC-FID).

Method: LA-SOP-201 Terpene Analysis by GC-FID (Note: this test is not included as part of our ISO/IEC 17025 scope of accreditation)

TERPENOID TEST RESULTS - 05/15/2023

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
α-Pinene	0.01 / 0.033	N/A	ND	ND
Camphene	0.01 / 0.035	N/A	ND	ND
Sabinene	0.012 / 0.04	N/A	ND	ND
β-Pinene	0.012/0.041	N/A	ND	ND
Myrcene	0.012/0.041	N/A	ND	ND
α-Phellandrene	0.012/0.041	N/A	ND	ND
Δ^3 -Carene	0.007 / 0.023	N/A	ND	ND
α-Terpinene	0.007 / 0.023	N/A	ND	ND
p-Cymene	0.006 / 0.021	N/A	ND	ND
Limonene	0.007 / 0.024	N/A	ND	ND
Eucalyptol	0.008 / 0.028	N/A	ND	ND
β-Ocimene	0.012/0.041	N/A	ND	ND
γ-Terpinene	0.009 / 0.029	N/A	ND	ND
Sabinene Hydrate	0.013 / 0.042	N/A	ND	ND
Fenchone	0.02 / 0.068	N/A	ND	ND
Terpinolene	0.019/0.063	N/A	ND	ND
Linalool	0.022 / 0.073	N/A	ND	ND
Fenchol	0.031 / 0.102	N/A	ND	ND
Isopulegol	0.009/0.031	N/A	ND	ND
Camphor	0.009/0.031	N/A	ND	ND
Isoborneol	0.007 / 0.024	N/A	ND	ND
Borneol	0.007 / 0.023	N/A	ND	ND
Menthol	0.024 / 0.078	N/A	ND	ND
Terpineol	0.033 / 0.112	N/A	ND	ND
Nerol	0.005/0.017	N/A	ND	ND
Citronellol	0.005/0.017	N/A	ND	ND
Pulegone	0.007 / 0.022	N/A	ND	ND
Geraniol	0.006 / 0.020	N/A	ND	ND
Geranyl Acetate	0.01 / 0.032	N/A	ND	ND
α-Cedrene	0.009 / 0.029	N/A	ND	ND
β-Caryophyllene	0.006 / 0.02	N/A	ND	ND
trans-β-Farnesene	0.011 / 0.035	N/A	ND	ND
α-Humulene	0.012/0.039	N/A	ND	ND
Valencene	0.025 / 0.083	N/A	ND	ND
Nerolidol	0.015 / 0.05	N/A	ND	ND
Caryophyllene Oxide	0.008/0.026	N/A	ND	ND
Guaiol	0.007 / 0.022	N/A	ND	ND
Cedrol	0.018 / 0.058	N/A	ND	ND
α-Bisabolol	0.014 / 0.046	N/A	ND	ND
TOTAL TERPENOIDS			ND	ND









Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

Method: LA-SOP-301 Pesticides & Mycotoxins Analysis by LC-MS or LA-SOP-302 Pesticides Analysis by GC-MS

PESTICIDE TEST RESULTS - 05/15/2023 PASS

Abamectin 0.0330 / 0.0990 0.3 N/A ND PASS Acepuinocyl 0.0270 / 0.0810 5 N/A ND PASS Aceaminodyl 0.0270 / 0.0820 4 N/A ND PASS Acetamiprid 0.0240 / 0.0770 ≥ LOD N/A ND PASS Aldicarb 0.0240 / 0.0700 ≥ LOD N/A ND PASS Bifenatare 0.0240 / 0.0800 40 N/A ND PASS Bifenthrin 0.1650 / 0.4990 0.5 N/A ND PASS Captan* 0.0707 / 0.2940 5 N/A ND PASS Captan* 0.0970 / 0.2940 5 N/A ND PASS Carboryl 0.0307 / 0.1130 0.5 N/A ND PASS Carboryl 0.0307 / 0.120 40 N/A ND PASS Chlorantamiliprole 0.0307 / 0.020 ≥ LOD N/A ND PASS Chlorfenapyr* 0.0160 / 0.0490 <t< th=""><th>COMPOUND</th><th>LOD/LOQ / (µg/g)</th><th>ACTION LIMIT (µg/g)</th><th>MEASUREMENT UNCERTAINTY (μg/g)</th><th>RESULT (μg/g)</th><th>RESULT</th></t<>	COMPOUND	LOD/LOQ / (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (μg/g)	RESULT
Acequinocyl 0.0270/0.0820 4 N/A ND PASS Acetamiprid 0.0240/0.0730 5 N/A ND PASS Aldicarb 0.0260/0.0770 ± LOD N/A ND PASS Azoxystrobin 0.0160/0.0500 40 N/A ND PASS Bifenzate 0.0240/0.0740 5 N/A ND PASS Bifenthrin 0.1650/0.4949 0.5 N/A ND PASS Boscalid 0.0260/0.0800 10 N/A ND PASS Captan* 0.0970/0.2940 5 N/A ND PASS Carbaryl 0.0370/0.1130 0.5 N/A ND PASS Carbofuran 0.0260/0.0800 ± LOD N/A ND PASS Chloratraniliprole 0.0330/0.0900 ± LOD N/A ND PASS Chlorfenapy* 0.0160/0.0490 ± LOD N/A ND PASS Chloreprifes 0.0110/0.0330 ± LOD	Abamectin	0.0330 / 0.0990	0.3	N/A	ND	PASS
Acetamiprid 0.0240 / 0.0730 5 N/A ND PASS Aldicarb 0.0260 / 0.0770 ≥ LOD N/A ND PASS Azoxystrobin 0.0160 / 0.0500 40 N/A ND PASS Bifenthrin 0.1650 / 0.4990 0.5 N/A ND PASS Boscalid 0.0240 / 0.0800 10 N/A ND PASS Boscalid 0.0260 / 0.0800 10 N/A ND PASS Captan* 0.0970 / 0.2940 5 N/A ND PASS Carbaryl 0.0370 / 0.1130 0.5 N/A ND PASS Carbofuran 0.0260 / 0.0800 ≥ LOD N/A ND PASS Chlorattraniliprole 0.0530 / 0.1620 40 N/A ND PASS Chlordane* 0.0300 / 0.0900 ≥ LOD N/A ND PASS Chlorentzine 0.0200 / 0.0870 ≥ LOD N/A ND PASS Coumaphos 0.0290 / 0.0870	Acephate	0.0270 / 0.0810	5	N/A	ND	PASS
Aldicarb 0.0260/0.0770 ≥LOD N/A ND PASS Azoxystrobin 0.0160/0.0500 40 N/A ND PASS Bifenazate 0.0240/0.0740 5 N/A ND PASS Bifenthrin 0.1650/0.04990 0.5 N/A ND PASS Boscalid 0.0260/0.0800 10 N/A ND PASS Captan* 0.0970/0.2940 5 N/A ND PASS Carbaryl 0.0370/0.1130 0.5 N/A ND PASS Carbofuran 0.0260/0.0800 ≥ LOD N/A ND PASS Chlorantraniliprole 0.0530/0.1620 40 N/A ND PASS Chlordran* 0.0300/0.0900 ≥ LOD N/A ND PASS Chlordran* 0.0160/0.0490 ≥ LOD N/A ND PASS Chlordrape** 0.0160/0.0490 ≥ LOD N/A ND PASS Chlordrape** 0.0160/0.0330 ≥ LOD	Acequinocyl	0.0270 / 0.0820	4	N/A	ND	PASS
Azoxystrobin 0.0160/0.0500 40 N/A ND PASS Bifenazate 0.0240/0.0740 5 N/A ND PASS Bifenthrin 0.1650/0.4990 0.5 N/A ND PASS Boscalid 0.0260/0.0800 10 N/A ND PASS Captan* 0.0970/0.02940 5 N/A ND PASS Carboryl 0.0370/0.1130 0.5 N/A ND PASS Carbofuran 0.0260/0.0800 ≥LOD N/A ND PASS Chlorantraniliprole 0.0530/0.1820 40 N/A ND PASS Chlordane* 0.0300/0.0900 ≥LOD N/A ND PASS Chlordrane* 0.0300/0.0890 ≥LOD N/A ND PASS Chlordrane* 0.0300/0.0890 ≥LOD N/A ND PASS Chlordraph* 0.0160/0.0890 ≥LOD N/A ND PASS Chlordraph* 0.0290/0.0890 ≥LOD	Acetamiprid	0.0240 / 0.0730	5	N/A	ND	PASS
Bifenazate 0.0240 / 0.0740 5 N/A ND PASS Bifenthrin 0.1650 / 0.4990 0.5 N/A ND PASS Boscalid 0.0260 / 0.0800 10 N/A ND PASS Captan* 0.0970 / 0.2940 5 N/A ND PASS Carbaryl 0.0370 / 0.1130 0.5 N/A ND PASS Carbofuran 0.0260 / 0.0800 ≥ LOD N/A ND PASS Chlorantraniliprole 0.0530 / 0.1620 40 N/A ND PASS Chlordnan* 0.00300 / 0.0900 ≥ LOD N/A ND PASS Chlordnan* 0.0110 / 0.0330 ≥ LOD N/A ND PASS Chlorpyrifos 0.0110 / 0.0330 ≥ LOD N/A ND PASS Colfentezine 0.0290 / 0.0870 0.5 N/A ND PASS Cypermethrin 0.1940 / 0.5870 1 N/A ND PASS Cypermethrin 0.0490 / 0.1480	Aldicarb	0.0260 / 0.0770	≥LOD	N/A	ND	PASS
Bifenthrin 0.1650 / 0.4990 0.5 N/A ND PASS Boscalid 0.0260 / 0.0800 10 N/A ND PASS Captan* 0.0970 / 0.2940 5 N/A ND PASS Carbaryl 0.0370 / 0.1130 0.5 N/A ND PASS Carbofuran 0.0260 / 0.0800 ≥ LOD N/A ND PASS Chlordane* 0.0300 / 0.0900 ≥ LOD N/A ND PASS Chlordranyr* 0.0160 / 0.0490 ≥ LOD N/A ND PASS Chlorpyrifos 0.0110 / 0.0330 ≥ LOD N/A ND PASS Colofentezine 0.0290 / 0.0870 0.5 N/A ND PASS Colofentezine 0.0290 / 0.0870 0.5 N/A ND PASS Colofentezine 0.0290 / 0.0870 0.5 N/A ND PASS Cypermethrin 0.1940 / 0.5870 1 N/A ND PASS Cypermethrin 0.0490 / 0.14	Azoxystrobin	0.0160 / 0.0500	40	N/A	ND	PASS
Boscalid 0.0260 / 0.0800 10 N/A	Bifenazate	0.0240 / 0.0740	5	N/A	ND	PASS
Captan* 0.0970/0.2940 5 N/A ND PASS Carbaryl 0.0370/0.1130 0.5 N/A ND PASS Carbofuran 0.0260/0.0800 ≥ LOD N/A ND PASS Chlorantraniliprole 0.0530/0.1620 40 N/A ND PASS Chlordane* 0.0300/0.0900 ≥ LOD N/A ND PASS Chlorfenapyr* 0.0160/0.0490 ≥ LOD N/A ND PASS Chlorpyrifos 0.0110/0.0330 ≥ LOD N/A ND PASS Clofentezine 0.0290/0.0870 ≥ LOD N/A ND PASS Coumaphos 0.0290/0.0870 ≥ LOD N/A ND PASS Cyfluthrin 0.1940/0.5870 1 N/A ND PASS Cypermethrin 0.0490/0.1480 1 N/A ND PASS Dizainon 0.0220/0.0670 0.2 N/A ND PASS Dizainon 0.0220/0.0670 0.2 <td>Bifenthrin</td> <td>0.1650 / 0.4990</td> <td>0.5</td> <td>N/A</td> <td>ND</td> <td>PASS</td>	Bifenthrin	0.1650 / 0.4990	0.5	N/A	ND	PASS
Carbaryl 0.0370/0.1130 0.5 N/A ND PASS Carbofuran 0.0260/0.0800 ≥ LOD N/A ND PASS Chlorantraniliprole 0.0530/0.1620 40 N/A ND PASS Chlordane* 0.0300/0.0900 ≥ LOD N/A ND PASS Chlorpyrifos 0.0110/0.0330 ≥ LOD N/A ND PASS Clofentezine 0.0290/0.0870 0.5 N/A ND PASS Coumaphos 0.0290/0.0890 ≥ LOD N/A ND PASS Cyfluthrin 0.1940/0.5870 1 N/A ND PASS Cypermethrin 0.0490/0.1480 1 N/A ND PASS Cypermethrin 0.0490/0.080 ≥ LOD N/A ND PASS Diazinon 0.0220/0.0670 0.2 N/A ND PASS Dichlorvos (DDVP) 0.070/0.0220 ≥ LOD N/A ND PASS Dimethoate 0.0190/0.0580	Boscalid	0.0260 / 0.0800	10	N/A	ND	PASS
Carbofuran 0.0260 / 0.0800 ≥ LOD N/A ND PASS Chlorantraniliprole 0.0530 / 0.1620 40 N/A ND PASS Chlordane* 0.0300 / 0.0900 ≥ LOD N/A ND PASS Chlorpyrifos 0.0110 / 0.0330 ≥ LOD N/A ND PASS Clofentezine 0.0290 / 0.0870 0.5 N/A ND PASS Coumaphos 0.0290 / 0.0870 1 N/A ND PASS Cyfluthrin 0.1940 / 0.5870 1 N/A ND PASS Cypermethrin 0.0490 / 0.1480 1 N/A ND PASS Cypermethrin 0.0490 / 0.0780 ≥ LOD N/A ND PASS Diazinon 0.0220 / 0.0670 0.2 N/A ND PASS Diazinon 0.0220 / 0.0670 0.2 N/A ND PASS Dimethorys (DDVP) 0.0700 / 0.0220 ≥ LOD N/A ND PASS Dimethomorph 0.	Captan*	0.0970 / 0.2940	5	N/A	ND	PASS
Chlorantraniliprole 0.0530 / 0.1620 40 N/A ND PASS Chlordane* 0.0300 / 0.0900 ≥ LOD N/A ND PASS Chlorfenapyr* 0.0160 / 0.0490 ≥ LOD N/A ND PASS Chlorpyrifos 0.0110 / 0.0330 ≥ LOD N/A ND PASS Cofentezine 0.0290 / 0.0870 0.5 N/A ND PASS Coumaphos 0.0290 / 0.0870 1 N/A ND PASS Cyfluthrin 0.1940 / 0.5870 1 N/A ND PASS Cypermethrin 0.0490 / 0.1480 1 N/A ND PASS Cypermethrin 0.0490 / 0.0780 ≥ LOD N/A ND PASS Daminozide 0.0260 / 0.0780 ≥ LOD N/A ND PASS Diazinon 0.0220 / 0.0670 0.2 N/A ND PASS Diazinon 0.0220 / 0.0670 0.2 N/A ND PASS Dimethoros (DDVP) 0.	Carbaryl	0.0370 / 0.1130	0.5	N/A	ND	PASS
Chlordane* 0.0300/0.0900 ≥ LOD N/A ND PASS Chlorfenapyr* 0.0160/0.0490 ≥ LOD N/A ND PASS Chlorpyrifos 0.0110/0.0330 ≥ LOD N/A ND PASS Clofentezine 0.0290/0.0870 0.5 N/A ND PASS Coumaphos 0.0290/0.0870 0.5 N/A ND PASS Cyfluthrin 0.1940/0.5870 1 N/A ND PASS Cypermethrin 0.0490/0.1480 1 N/A ND PASS Daminozide 0.0260/0.0780 ≥ LOD N/A ND PASS Diazinon 0.0220/0.0670 0.2 N/A ND PASS Dichlorvos (DDVP) 0.0070/0.0220 ≥ LOD N/A ND PASS Dimethoate 0.0190/0.0580 ≥ LOD N/A ND PASS Dimethomorph 0.0700/0.2120 20 N/A ND PASS Etofenprox 0.0290/0.0870 <	Carbofuran	0.0260 / 0.0800	≥LOD	N/A	ND	PASS
Chlorfenapyr* 0.0160/0.0490 ≥ LOD N/A ND PASS Chlorpyrifos 0.0110/0.0330 ≥ LOD N/A ND PASS Clofentezine 0.0290/0.0870 0.5 N/A ND PASS Coumaphos 0.0290/0.0890 ≥ LOD N/A ND PASS Cyfluthrin 0.1940/0.5870 1 N/A ND PASS Cypermethrin 0.0490/0.1480 1 N/A ND PASS Cypermethrin 0.0490/0.01480 1 N/A ND PASS Daminozide 0.0260/0.0780 ≥ LOD N/A ND PASS Diazinon 0.0220/0.0670 0.2 N/A ND PASS Dichlorvos (DDVP) 0.0070/0.0220 ≥ LOD N/A ND PASS Dimethoate 0.0190/0.0580 ≥ LOD N/A ND PASS Ethoprophos 0.0300/0.0920 ≥ LOD N/A ND PASS Etofenprox 0.0290/0.0870	Chlorantraniliprole	0.0530 / 0.1620	40	N/A	ND	PASS
Chlorpyrifos 0.0110/0.0330 ≥ LOD N/A ND PASS Clofentezine 0.0290/0.0870 0.5 N/A ND PASS Coumaphos 0.0290/0.0890 ≥ LOD N/A ND PASS Cyfluthrin 0.1940/0.5870 1 N/A ND PASS Cypermethrin 0.0490/0.1480 1 N/A ND PASS Cypermethrin 0.0490/0.01480 1 N/A ND PASS Daminozide 0.0260/0.0780 ≥ LOD N/A ND PASS Diazinon 0.0220/0.0670 0.2 N/A ND PASS Diazinon 0.0220/0.0870 0.2 N/A ND PASS Dimethoros (DDVP) 0.0070/0.0220 ≥ LOD N/A ND PASS Dimethomorph 0.0790/0.0210 ≥ 0 N/A ND PASS Ethoprophos 0.0300/0.0920 ≥ LOD N/A ND PASS Etofanprox 0.0240/0.0370 1	Chlordane*	0.0300 / 0.0900	≥LOD	N/A	ND	PASS
Clofentezine 0.0290 / 0.0870 0.5 N/A ND PASS Coumaphos 0.0290 / 0.0890 ≥ LOD N/A ND PASS Cyfluthrin 0.1940 / 0.5870 1 N/A ND PASS Cypermethrin 0.0490 / 0.1480 1 N/A ND PASS Daminozide 0.0260 / 0.0780 ≥ LOD N/A ND PASS Diazinon 0.0220 / 0.0670 0.2 N/A ND PASS Dichlorvos (DDVP) 0.0070 / 0.0220 ≥ LOD N/A ND PASS Dimethoate 0.0190 / 0.0580 ≥ LOD N/A ND PASS Ethoprophos 0.0300 / 0.0220 ≥ LOD N/A ND PASS Etofenprox 0.0290 / 0.0870 ≥ LOD N/A ND PASS Etoxazole 0.0240 / 0.0730 1.5 N/A ND PASS Fenexycarb 0.0330 / 0.1000 ≥ LOD N/A ND PASS Fipronil 0.0170 / 0	Chlorfenapyr*	0.0160 / 0.0490	≥LOD	N/A	ND	PASS
Coumaphos 0.0290 / 0.0890 ≥ LOD N/A ND PASS Cyfluthrin 0.1940 / 0.5870 1 N/A ND PASS Cypermethrin 0.0490 / 0.1480 1 N/A ND PASS Daminozide 0.0260 / 0.0780 ≥ LOD N/A ND PASS Diazinon 0.0220 / 0.0670 0.2 N/A ND PASS Dichlorvos (DDVP) 0.0070 / 0.0220 ≥ LOD N/A ND PASS Dimethoate 0.0190 / 0.0580 ≥ LOD N/A ND PASS Dimethomorph 0.0700 / 0.2120 20 N/A ND PASS Ethoprophos 0.0300 / 0.0920 ≥ LOD N/A ND PASS Etofenprox 0.0290 / 0.0870 ≥ LOD N/A ND PASS Etoxazole 0.0240 / 0.0730 1.5 N/A ND PASS Fenexycarb 0.0330 / 0.1000 ≥ LOD N/A ND PASS Fipronil 0.0170 / 0.	Chlorpyrifos	0.0110 / 0.0330	≥LOD	N/A	ND	PASS
Cyfluthrin 0.1940 / 0.5870 1 N/A ND PASS Cypermethrin 0.0490 / 0.1480 1 N/A ND PASS Daminozide 0.0260 / 0.0780 ≥ LOD N/A ND PASS Diazinon 0.0220 / 0.0670 0.2 N/A ND PASS Dichlorvos (DDVP) 0.0070 / 0.0220 ≥ LOD N/A ND PASS Dimethoate 0.0190 / 0.0580 ≥ LOD N/A ND PASS Dimethomorph 0.0700 / 0.2120 20 N/A ND PASS Ethoprophos 0.0300 / 0.0920 ≥ LOD N/A ND PASS Etofenprox 0.0290 / 0.0870 ≥ LOD N/A ND PASS Etoxazole 0.0240 / 0.0730 1.5 N/A ND PASS Fenhexamid 0.0150 / 0.0460 10 N/A ND PASS Fenoxycarb 0.0330 / 0.1000 ≥ LOD N/A ND PASS Fipronil 0.0170 / 0.05	Clofentezine	0.0290 / 0.0870	0.5	N/A	ND	PASS
Cypermethrin 0.0490/0.1480 1 N/A ND PASS Daminozide 0.0260/0.0780 ≥ LOD N/A ND PASS Diazinon 0.0220/0.0670 0.2 N/A ND PASS Dichlorvos (DDVP) 0.0070/0.0220 ≥ LOD N/A ND PASS Dimethoate 0.0190/0.0580 ≥ LOD N/A ND PASS Dimethomorph 0.0700/0.2120 20 N/A ND PASS Ethoprophos 0.0300/0.0920 ≥ LOD N/A ND PASS Etofenprox 0.0290/0.0870 ≥ LOD N/A ND PASS Etoxazole 0.0240/0.0730 1.5 N/A ND PASS Fenbexamid 0.0150/0.0460 10 N/A ND PASS Fenpyroximate 0.0030/0.0250 2 N/A ND PASS Fipronil 0.0170/0.0530 ≥ LOD N/A ND PASS Fludioxonil 0.0300/0.0910 30	Coumaphos	0.0290 / 0.0890	≥LOD	N/A	ND	PASS
Daminozide 0.0260 / 0.0780 ≥ LOD N/A ND PASS Diazinon 0.0220 / 0.0670 0.2 N/A ND PASS Dichlorvos (DDVP) 0.0070 / 0.0220 ≥ LOD N/A ND PASS Dimethoate 0.0190 / 0.0580 ≥ LOD N/A ND PASS Dimethomorph 0.0700 / 0.2120 20 N/A ND PASS Ethoprophos 0.0300 / 0.0920 ≥ LOD N/A ND PASS Etofenprox 0.0290 / 0.0870 ≥ LOD N/A ND PASS Etoxazole 0.0240 / 0.0730 1.5 N/A ND PASS Fenhexamid 0.0150 / 0.0460 10 N/A ND PASS Fenoxycarb 0.0330 / 0.1000 ≥ LOD N/A ND PASS Fipronil 0.0170 / 0.0530 ≥ LOD N/A ND PASS Fludioxonil 0.0300 / 0.0910 30 N/A ND PASS Imazalil 0.0310 / 0.	Cyfluthrin	0.1940 / 0.5870	1	N/A	ND	PASS
Diazinon 0.0220 / 0.0670 0.2 N/A ND PASS Dichlorvos (DDVP) 0.0070 / 0.0220 ≥ LOD N/A ND PASS Dimethoate 0.0190 / 0.0580 ≥ LOD N/A ND PASS Dimethomorph 0.0700 / 0.2120 20 N/A ND PASS Ethoprophos 0.0300 / 0.0920 ≥ LOD N/A ND PASS Etofenprox 0.0290 / 0.0870 ≥ LOD N/A ND PASS Etoxazole 0.0240 / 0.0730 1.5 N/A ND PASS Fenhexamid 0.0150 / 0.0460 10 N/A ND PASS Fenoxycarb 0.0330 / 0.1000 ≥ LOD N/A ND PASS Fenpyroximate 0.0080 / 0.0250 2 N/A ND PASS Fipronil 0.0170 / 0.0530 ≥ LOD N/A ND PASS Fludioxonil 0.0300 / 0.0910 30 N/A ND PASS Imazalil 0.0310 / 0.0	Cypermethrin	0.0490 / 0.1480	1	N/A	ND	PASS
Dichlorvos (DDVP) 0.0070 / 0.0220 ≥ LOD N/A ND PASS Dimethoate 0.0190 / 0.0580 ≥ LOD N/A ND PASS Dimethomorph 0.0700 / 0.2120 20 N/A ND PASS Ethoprophos 0.0300 / 0.0920 ≥ LOD N/A ND PASS Etofenprox 0.0290 / 0.0870 ≥ LOD N/A ND PASS Etoxazole 0.0240 / 0.0730 1.5 N/A ND PASS Fenhexamid 0.0150 / 0.0460 10 N/A ND PASS Fenoxycarb 0.0330 / 0.1000 ≥ LOD N/A ND PASS Fipronil 0.0170 / 0.0530 ≥ LOD N/A ND PASS Fludioxonil 0.0120 / 0.0370 2 N/A ND PASS Fludioxonil 0.0300 / 0.0910 30 N/A ND PASS Imazalil 0.0310 / 0.0950 ≥ LOD N/A ND PASS Imidacloprid 0.0400 /	Daminozide	0.0260 / 0.0780	≥LOD	N/A	ND	PASS
Dimethoate 0.0190 / 0.0580 ≥ LOD N/A ND PASS Dimethomorph 0.0700 / 0.2120 20 N/A ND PASS Ethoprophos 0.0300 / 0.0920 ≥ LOD N/A ND PASS Etofenprox 0.0290 / 0.0870 ≥ LOD N/A ND PASS Etoxazole 0.0240 / 0.0730 1.5 N/A ND PASS Fenhexamid 0.0150 / 0.0460 10 N/A ND PASS Fenoxycarb 0.0330 / 0.1000 ≥ LOD N/A ND PASS Fenpyroximate 0.0080 / 0.0250 2 N/A ND PASS Fipronil 0.0170 / 0.0530 ≥ LOD N/A ND PASS Fludioxonil 0.0300 / 0.0910 30 N/A ND PASS Fludioxonil 0.0300 / 0.0910 30 N/A ND PASS Imazalil 0.0310 / 0.0950 ≥ LOD N/A ND PASS Imidacloprid 0.0400 / 0.1220	Diazinon	0.0220 / 0.0670	0.2	N/A	ND	PASS
Dimethomorph 0.0700/0.2120 20 N/A ND PASS Ethoprophos 0.0300/0.0920 ≥ LOD N/A ND PASS Etofenprox 0.0290/0.0870 ≥ LOD N/A ND PASS Etoxazole 0.0240/0.0730 1.5 N/A ND PASS Fenhexamid 0.0150/0.0460 10 N/A ND PASS Fenoxycarb 0.0330/0.1000 ≥ LOD N/A ND PASS Fenpyroximate 0.0080/0.0250 2 N/A ND PASS Fipronil 0.0170/0.0530 ≥ LOD N/A ND PASS Fludioxonil 0.0300/0.0370 2 N/A ND PASS Fludioxonil 0.0300/0.0910 30 N/A ND PASS Hexythiazox 0.0150/0.0460 2 N/A ND PASS Imidacloprid 0.0400/0.1220 3 N/A ND PASS Kresoxim-methyl 0.0290/0.0890 1	Dichlorvos (DDVP)	0.0070 / 0.0 <mark>220</mark>	≥LOD	N/A	ND	PASS
Ethoprophos 0.0300 / 0.0920 ≥ LOD N/A ND PASS Etofenprox 0.0290 / 0.0870 ≥ LOD N/A ND PASS Etoxazole 0.0240 / 0.0730 1.5 N/A ND PASS Fenhexamid 0.0150 / 0.0460 10 N/A ND PASS Fenoxycarb 0.0330 / 0.1000 ≥ LOD N/A ND PASS Fenpyroximate 0.0080 / 0.0250 2 N/A ND PASS Fipronil 0.0170 / 0.0530 ≥ LOD N/A ND PASS Fludioxonil 0.0120 / 0.0370 2 N/A ND PASS Fludioxonil 0.0300 / 0.0910 30 N/A ND PASS Imazalil 0.0310 / 0.0950 ≥ LOD N/A ND PASS Imidacloprid 0.0400 / 0.1220 3 N/A ND PASS Malathion 0.1370 / 0.4160 5 N/A ND PASS Metalaxyl 0.0600 / 0.1820	Dimethoate	0.0190 / 0 <mark>.0580</mark>	≥LOD	N/A	ND	PASS
Etofenprox 0.0290 / 0.0870 ≥ LOD N/A ND PASS Etoxazole 0.0240 / 0.0730 1.5 N/A ND PASS Fenhexamid 0.0150 / 0.0460 10 N/A ND PASS Fenoxycarb 0.0330 / 0.1000 ≥ LOD N/A ND PASS Fenpyroximate 0.0080 / 0.0250 2 N/A ND PASS Fipronil 0.0170 / 0.0530 ≥ LOD N/A ND PASS Flonicamid 0.0120 / 0.0370 2 N/A ND PASS Fludioxonil 0.0300 / 0.0910 30 N/A ND PASS Hexythiazox 0.0150 / 0.0460 2 N/A ND PASS Imazalil 0.0310 / 0.0950 ≥ LOD N/A ND PASS Kresoxim-methyl 0.0290 / 0.0890 1 N/A ND PASS Malathion 0.1370 / 0.4160 5 N/A ND PASS	Dimethomorph	0.070 <mark>0 / 0.2120</mark>	20	N/A	ND	PASS
Etoxazole 0.0240 / 0.0730 1.5 N/A ND PASS Fenhexamid 0.0150 / 0.0460 10 N/A ND PASS Fenoxycarb 0.0330 / 0.1000 ≥ LOD N/A ND PASS Fenpyroximate 0.0080 / 0.0250 2 N/A ND PASS Fipronil 0.0170 / 0.0530 ≥ LOD N/A ND PASS Flonicamid 0.0120 / 0.0370 2 N/A ND PASS Fludioxonil 0.0300 / 0.0910 30 N/A ND PASS Hexythiazox 0.0150 / 0.0460 2 N/A ND PASS Imazalil 0.0310 / 0.0950 ≥ LOD N/A ND PASS Imidacloprid 0.0400 / 0.1220 3 N/A ND PASS Kresoxim-methyl 0.0290 / 0.0890 1 N/A ND PASS Malathion 0.1370 / 0.4160 5 N/A ND PASS Metalaxyl 0.0600 / 0.1820	Ethoprophos	0.0300 / 0.0920	≥LOD	N/A	ND	PASS
Fenhexamid 0.0150 / 0.0460 10 N/A ND PASS Fenoxycarb 0.0330 / 0.1000 ≥ LOD N/A ND PASS Fenpyroximate 0.0080 / 0.0250 2 N/A ND PASS Fipronil 0.0170 / 0.0530 ≥ LOD N/A ND PASS Flonicamid 0.0120 / 0.0370 2 N/A ND PASS Fludioxonil 0.0300 / 0.0910 30 N/A ND PASS Hexythiazox 0.0150 / 0.0460 2 N/A ND PASS Imazalil 0.0310 / 0.0950 ≥ LOD N/A ND PASS Imidacloprid 0.0400 / 0.1220 3 N/A ND PASS Malathion 0.1370 / 0.4160 5 N/A ND PASS Metalaxyl 0.0600 / 0.1820 15 N/A ND PASS	Etofenprox	0.0290 / 0.0870	≥LOD	N/A	ND	PASS
Fenoxycarb 0.0330 / 0.1000 ≥ LOD N/A ND PASS Fenpyroximate 0.0080 / 0.0250 2 N/A ND PASS Fipronil 0.0170 / 0.0530 ≥ LOD N/A ND PASS Flonicamid 0.0120 / 0.0370 2 N/A ND PASS Fludioxonil 0.0300 / 0.0910 30 N/A ND PASS Hexythiazox 0.0150 / 0.0460 2 N/A ND PASS Imazalil 0.0310 / 0.0950 ≥ LOD N/A ND PASS Imidacloprid 0.0400 / 0.1220 3 N/A ND PASS Kresoxim-methyl 0.0290 / 0.0890 1 N/A ND PASS Malathion 0.1370 / 0.4160 5 N/A ND PASS Metalaxyl 0.0600 / 0.1820 15 N/A ND PASS	Etoxazole	0.0240 / 0.0730	1.5	N/A	ND	PASS
Fenpyroximate 0.0080 / 0.0250 2 N/A ND PASS Fipronil 0.0170 / 0.0530 ≥ LOD N/A ND PASS Flonicamid 0.0120 / 0.0370 2 N/A ND PASS Fludioxonil 0.0300 / 0.0910 30 N/A ND PASS Hexythiazox 0.0150 / 0.0460 2 N/A ND PASS Imazalil 0.0310 / 0.0950 ≥ LOD N/A ND PASS Imidacloprid 0.0400 / 0.1220 3 N/A ND PASS Kresoxim-methyl 0.0290 / 0.0890 1 N/A ND PASS Malathion 0.1370 / 0.4160 5 N/A ND PASS Metalaxyl 0.0600 / 0.1820 15 N/A ND PASS	Fenhexamid	0.0150 / 0.0460	10	N/A	ND	PASS
Fipronil 0.0170/0.0530 ≥ LOD N/A ND PASS Flonicamid 0.0120/0.0370 2 N/A ND PASS Fludioxonil 0.0300/0.0910 30 N/A ND PASS Hexythiazox 0.0150/0.0460 2 N/A ND PASS Imazalil 0.0310/0.0950 ≥ LOD N/A ND PASS Imidacloprid 0.0400/0.1220 3 N/A ND PASS Kresoxim-methyl 0.0290/0.0890 1 N/A ND PASS Malathion 0.1370/0.4160 5 N/A ND PASS Metalaxyl 0.0600/0.1820 15 N/A ND PASS	Fenoxycarb	0.0330 / 0.1000	≥LOD	N/A	ND	PASS
Flonicamid 0.0120/0.0370 2 N/A ND PASS Fludioxonil 0.0300/0.0910 30 N/A ND PASS Hexythiazox 0.0150/0.0460 2 N/A ND PASS Imazalil 0.0310/0.0950 ≥ LOD N/A ND PASS Imidacloprid 0.0400/0.1220 3 N/A ND PASS Kresoxim-methyl 0.0290/0.0890 1 N/A ND PASS Malathion 0.1370/0.4160 5 N/A ND PASS Metalaxyl 0.0600/0.1820 15 N/A ND PASS	Fenpyroximate	0.0080 / 0.0250	2	N/A	ND	PASS
Fludioxonil 0.0300 / 0.0910 30 N/A ND PASS Hexythiazox 0.0150 / 0.0460 2 N/A ND PASS Imazalil 0.0310 / 0.0950 ≥ LOD N/A ND PASS Imidacloprid 0.0400 / 0.1220 3 N/A ND PASS Kresoxim-methyl 0.0290 / 0.0890 1 N/A ND PASS Malathion 0.1370 / 0.4160 5 N/A ND PASS Metalaxyl 0.0600 / 0.1820 15 N/A ND PASS	Fipronil	0.0170 / 0.0530	≥LOD	N/A	ND	PASS
Hexythiazox 0.0150/0.0460 2 N/A ND PASS Imazalil 0.0310/0.0950 ≥ LOD N/A ND PASS Imidacloprid 0.0400/0.1220 3 N/A ND PASS Kresoxim-methyl 0.0290/0.0890 1 N/A ND PASS Malathion 0.1370/0.4160 5 N/A ND PASS Metalaxyl 0.0600/0.1820 15 N/A ND PASS	Flonicamid	0.0120 / 0.0370	2	N/A	ND	PASS
Imazalil 0.0310 / 0.0950 ≥ LOD N/A ND PASS Imidacloprid 0.0400 / 0.1220 3 N/A ND PASS Kresoxim-methyl 0.0290 / 0.0890 1 N/A ND PASS Malathion 0.1370 / 0.4160 5 N/A ND PASS Metalaxyl 0.0600 / 0.1820 15 N/A ND PASS	Fludioxonil	0.0300 / 0.0910	30	N/A	ND	PASS
Imidacloprid 0.0400 / 0.1220 3 N/A ND PASS Kresoxim-methyl 0.0290 / 0.0890 1 N/A ND PASS Malathion 0.1370 / 0.4160 5 N/A ND PASS Metalaxyl 0.0600 / 0.1820 15 N/A ND PASS	Hexythiazox	0.0150 / 0.0460	2	N/A	ND	PASS
Kresoxim-methyl 0.0290 / 0.0890 1 N/A ND PASS Malathion 0.1370 / 0.4160 5 N/A ND PASS Metalaxyl 0.0600 / 0.1820 15 N/A ND PASS	Imazalil	0.0310/0.0950	≥LOD	N/A	ND	PASS
Malathion 0.1370 / 0.4160 5 N/A ND PASS Metalaxyl 0.0600 / 0.1820 15 N/A ND PASS	Imidacloprid	0.0400 / 0.1220	3	N/A	ND	PASS
Metalaxyl 0.0600 / 0.1820 15 N/A ND PASS	Kresoxim-methyl	0.0290 / 0.0890	1	N/A	ND	PASS
· ·	Malathion	0.1370 / 0.4160	5	N/A	ND	PASS
Methiocarb 0.0090 / 0.0260 ≥ LOD N/A ND PASS	Metalaxyl	0.0600 / 0.1820	15	N/A	ND	PASS
	Methiocarb	0.0090 / 0.0260	≥LOD	N/A	ND	PASS

Continued on next page







Pesticide Analysis Continued

PESTICIDE TEST RESULTS - 05/15/2023 continued **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (μg/g)	RESULT
Methomyl	0.0130 / 0.0390	0.1	N/A	ND	PASS
Mevinphos	0.0180 / 0.0550	≥LOD	N/A	ND	PASS
Myclobutanil	0.0320 / 0.0980	9	N/A	ND	PASS
Naled	0.0160 / 0.0480	0.5	N/A	ND	PASS
Oxamyl	0.0380 / 0.1160	0.2	N/A	ND	PASS
Paclobutrazol	0.0320 / 0.0980	≥LOD	N/A	ND	PASS
Parathion-methyl*	0.0240 / 0.0720	≥LOD	N/A	ND	PASS
Pentachloronitrobenzene*	0.0270 / 0.0820	0.2	N/A	ND	PASS
Permethrin	0.0300 / 0.0900	20	N/A	ND	PASS
Phosmet	0.0300 / 0.0920	0.2	N/A	ND	PASS
Piperonyl Butoxide	0.0400 / 0.1210	8	N/A	ND	PASS
Prallethrin	0.0260 / 0.0790	0.4	N/A	ND	PASS
Propiconazole	0.0310 / 0.0940	20	N/A	ND	PASS
Propoxur	0.0220 / 0.0680	≥LOD	N/A	ND	PASS
Pyrethrins	0.0590 / 0.1790	1	N/A	ND	PASS
Pyridaben	0.0240 / 0.0740	3	N/A	ND	PASS
Spinetoram	0.0210 / 0.0630	3	N/A	ND	PASS
Spinosad	0.0290 / 0.0880	3	N/A	ND	PASS
Spiromesifen	0.0320 / 0.0970	12	N/A	ND	PASS
Spirotetramat	0.0110 / 0.0330	13	N/A	ND	PASS
Spiroxamine	0.0330 / 0.0990	≥LOD	N/A	ND	PASS
Tebuconazole	0.0200 / 0.0610	2	N/A	ND	PASS
Thiacloprid	0.0220 / 0.06 <mark>60</mark>	≥LOD	N/A	ND	PASS
Thiamethoxam	0.0360 / 0.1080	4.5	N/A	ND	PASS
Trifloxystrobin	0.0320/0.0970	30	N/A	ND	PASS



Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: LA-SOP-502 Heavy Metals Analysis by ICP-MS

HEAVY METALS TEST RESULTS - 05/12/2023 **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Arsenic	0.0 <mark>06 / 0.05</mark>	1.5	N/A	<loq< th=""><th>PASS</th></loq<>	PASS
Cadmium	0.003/0.05	0.5	±0.001	0.07	PASS
Lead	0.0 <mark>10 / 0.05</mark>	0.5	N/A	<loq< th=""><th>PASS</th></loq<>	PASS
Mercury	0.003/0.05	3	N/A	<loq< th=""><th>PASS</th></loq<>	PASS